

## C-SERIES



Rugged, accurate and reliable

ATEX and DMG approved

Mechanical display

Available in mono or twin

Petrol, Diesel, Gas Oil, Avgas and Jet A1

Mechanical hand-crank to dispense in case of power loss

Stainless steel construction

## C-Series Commercial Mechanical

Manufactured to the same high standards as the rest of the range, the C-Series mechanical pumps are designed to be rugged, accurate and reliable.

Designed for the commercial environment the C-Series mechanical range features a single volume-only, hand-reset register complete with an optional pulse output. Available in either mono or twin version, each comes with hose and ZVA automatic nozzle assembly.

Thanks to its world beating hydraulics, the C-Series mechanical pump unit is designed for use with above and below ground tanks and is approved, manufactured and certified to EN13617-1. The pump is available in three speeds – 45 LPM, 70 LPM or 90 LPM.

## C-SERIES



## C-Series Commercial Mechanical

### Specification

- › Approved to EN13617 (ATEX)
- › Meter accuracy +/- 0.2%
- › Not weights and measures approved for resale
- › Mechanical display (volume only)
- › Approved 'latch open' nozzles with safety break
- › Stainless steel construction
- › Single or three-phase motors (115v/230v/380v)
- › 12 months warranty
- › Nozzle left hand side

### Options

- › Pulsar unit (10 PPL only)
- › Breakaway hose coupling
- › Stainless under-pump plinth
- › Galvanised under-pump stool
- › GRP under-pump sump
- › Mechanical hand crank (dispense fuel in the event of power failure)

### Dimensions

- › **Mono:** 1150mm (H) x 370mm (W) x 450mm (D) - Weight: 80kg
- › **Twin:** 1150mm (H) x 540mm (W) x 450mm (D) - Weight: 135kg

### Checklist

- ✓ Petroleum & Diesel
- ✓ Alternative Fuel
- ✓ Mechanical

## C-SERIES



## C-Series Commercial Mechanical

### Product codes

Part no	Description
MC11LC	Mechanical Mono with Air/Sep (45LPM)
MC11MC	Mechanical Mono with Air/Sep (70LPM)
MC11HC	Mechanical Mono with Air/Sep (90LPM)
MC22LC	Mech Twin with Air/Sep (45/45LPM)
MC22MC	Mech Twin with Air/Sep (70/70LPM)
MC22LHC	Mech Twin Split Speed with Air/Sep (45/90LPM)
MC22HC	Mech Twin with Air/Sep (90/90LPM)

### Accessories

ME000203	Ex Pulser 10:1 for Mechanical
BREAKINLINE1	Ex Hose Break Opt Inline 1" (reconnectable)
BREAKINLINE2	Ex Hose Break Opt Inline 3/4" (disposable)
MS000012	Galvanised Under Pump Stool – Mono
MS000022	Galvanised Under Pump Stool – Twin
Plinthkit-Mono	Standard St/St Plinth kit for Mono
Plinthkit-Twin	Standard St/St Plinth kit for Twin
NC002081	GRP Mono Under Pump Sump
NC002082	GRP Twin Under Pump Sump
Three Phase 3	Three Phase Option Mono
Three Phase 4	Three Phase Option Twin
ME000100	Mechanical Hand Crank