

C-SERIES

C-Series Commercial Suction Pump with Hose Reel



Based on C-Series mono

Ideal for marina and aviation
environments

Complete with integral hose reel
and hoses

Aviation variant available

Two speed options

W&M, ATEX, DMG14 and MID approved

0.2% meter accuracy

Range of interface options

Based on our popular C-Series mono suction pump, this unit comes complete with an integral hose reel and hoses, making it perfect for the marina environment. This flexible fuelling solution is also available as an aviation variant with hoses certified to EN1361.

Two hose lengths are available (15m or 30m) with either a stainless steel or painted mild steel hose reel, with two speed options – a nominal 90 LPM prior to hose with ZVA 25, and nominal 70 LPM prior to hose with ZVA slimline.

The attention to detail and quality of components used to construct the C-Series range ensures you will receive a truly reliable product which provides fast, accurate and repeatable fuel dispensing, time and again.

C-SERIES



C-Series Commercial Suction Pump with Hose Reel

Specification

- › Single-sided 25mm illuminated digital retail displays (volume only)
- › Available as mono only
- › Pumping unit with integral air separation
- › Solenoid valve
- › Approved 'latch open' nozzles with safety break
- › Infra-red management control
- › Elaflex standard fuel hose to EN1360 as 15m or 30m
- › Stainless steel construction
- › Single or three-phase motors (115v/230v/380v)
- › Integral nozzle locking (no padlocks required)
- › Interface options include Pulse, Serial, Gilbarco 2 Wire and HL2
- › Manufactured to EN13617-1 SIRA Certificate number 05ATEX9095
- › Approved by UK Weights & Measures (attendant operated or fuel monitoring system)
- › Measuring Instruments Directive (MID) approved
- › 12 months warranty

Options

- › Second side display
- › Stainless steel internal pipe work
- › Stainless steel under-pump plinth
- › Stage Two vapour recovery
- › Marine grade stainless steel panels available
- › Aviation hoses available
- › Avgas suitable conversions available
- › Dispenser version

Dimensions

- › **15m reel:** 1425mm (H) x 890mm (W) x 550mm (D) – Weight: 140kg
- › **30m reel:** 1425mm (H) x 1100mm (W) x 550mm (D) – Weight: 140kg

Checklist

- ✓ Approved for Re-sale
- ✓ Petroleum & Diesel
- ✓ Alternative Fuel
- ✓ Electronic

C-SERIES



C-Series Commercial Suction Pump with Hose Reel

Product codes

Part no	Description
SC11HC-EXT15MM	Commercial Mono (90 lpm) on extended base c/w 15m hose & Painted Hose Reel
SC11HC-EXT15MS	Commercial Mono (90 lpm) on extended base c/w 15m Hose & St / Steel Hose Reel
SC11HC-EXT30MM	Commercial Mono (90 lpm) on extended base c/w 30m Hose & Painted Hose Reel
SC11HC-EXT30MS	Commercial Mono (90 lpm) on extended base c/w 30m Hose & St /Steel Hose Reel
SC11MC-EXT15MM	Commercial Mono (70 lpm) on extended base c/w 15m Hose & Painted Hose Reel
SC11MC-EXT15MS	Commercial Mono (70 lpm) on extended base c/w 15m Hose & St / Steel Hose Reel
SC11MC-EXT30MM	Commercial Mono (70 lpm) on extended base c/w 30m Hose & Painted Hose Reel
SC11MC-EXT30MS	Commercial Mono (70 lpm) on extended base c/w 30m Hose & St /Steel Hose Reel

Accessories

COMDIS001	Second side Mono Commercial (Volume) Display
STAINPIPE1	Stainless steel internal pipe work assembly