

## C-SERIES

# C-Series Retail LPG Dispenser



---

Designed for retail environment

Ideal for smaller forecourts

Approved for resale

Available in mono or twin

Dual fuel option – LPG and Petrol  
Gasoline

ATEX approved

0.5% meter accuracy

Range of interface options

Island or skid mount

Durable stainless steel construction

---

The C-Series Retail LPG Dispenser offers a flexible LPG refuelling solution ideal for smaller forecourts where space is at a premium.

Constructed from the same stainless steel housing that is synonymous with the Pumptronics range, the C-Series Retail LPG is a durable and reliable choice even in demanding environments.

C-Series Retail LPG is available in mono or twin configuration and in Dual Fuel configuration, in combination with petrol gasoline, allowing customers to refuel both grades of fuel without moving their vehicle.

## C-SERIES



# C-Series Retail LPG Dispenser

## Specification

- › Available as mono or twin hose version
- › Single sided 25mm illuminated digital retail displays (cash & volume)
- › Dead man's Button(s)
- › Dual piston, double acting meters with typically +/- 0.5% accuracy and 0.2% repeatability.
- › Vapour eliminator & filter assembly
- › Built-in hose retriever
- › Approved nozzle with bayonet adaptor.
- › LPG 16m dispensing hose (3.6m), safety break and pigtail (.34m), total hose length 4m.
- › ARK reusable safety break for LPG hose coupling
- › Automatic temperature compensation
- › Internal test port, isolation valves and drains for ease of calibration and maintenance
- › Electronic and mechanical over-speed and non-venting expansion protection
- › Interface options include Pulse, Serial Gilbarco 2 wire and HL2
- › Infrared management control
- › Maximum flow rate up to Nominal 50.0 litres per minute
- › Standard operating pressure of 2 bar
- › Maximum operating pressure of 23.8 bar
- › Approved for resale – UK and MID
- › Manufactured to ATEX standards for hazardous zones.
- › Island or skid mounted

## Options

- › Bayonet nozzle
- › ACME nozzle
- › Dish nozzle
- › Euro nozzle

## Dimensions

- › **Mono:** 1425mm (H) x 370mm (W) x 450mm (D) – Weight: 84kg
- › **Twin:** 1425mm (H) x 540mm (W) x 450mm (D) – Weight: 140kg
- › **Dual Fuel:** 1425mm (H) x 540mm (W) x 450mm (D) – Weight: 140kg

## Checklist

- ✓ Dual fuel option – LPG & Petrol
- ✓ Mono & Twin

## C-SERIES



# C-Series Retail LPG Dispenser

## Product codes

Part no	Description
LPG11SR	C-Series Retail Mono Single Sided - Nominal 50 LPM Dispenser
LPG12SR	C-Series Retail Twin Single Sided - Nominal 50 /50 LPM Dispenser
LPG22DFR	C-Series Retail Duel Fuel Single Sided - Nominal 50 / 50 LPM Dispenser

## Accessories

LP000070	LPG Nozzle GG30S – Bayonet connector
LP000073	LPG Nozzle ZVG 2 - ACME connector
LP000074	LPG Nozzle ZVG 2 - EURO connector (EN 13760)
LP000075	LPG Nozzle ZVG 2 - DISH connector
RETDIS001	Second side mono retail display (for LPG11SR)
RETDIS002	Second side twin retail display for Dual Fuel
Plinthkit-Mono	Standard St/St Plinth kit for Mono and Twin LPG Dispenser
Plinthkit-Twin	Standard St/St Plinth Kit for Dual Fuel Twin hose unit
MS000300	LPG Galvanised under dispenser stool