

## C-Series Retail Suction Pump with Hose Reel



---

Based on C-Series mono

Ideal for marina environments

Complete with integral hose reel and hoses

Aviation variant available

Two speed options

W&M, ATEX and MID approved

0.2% meter accuracy

Range of interface options

---

Based on our popular C-Series mono suction pump, this unit comes complete with an integral hose reel and hoses, making it perfect for the marina environment. This flexible fuelling solution is also available as an aviation variant with hoses certified to EN1361.

Two hose lengths are available (15m or 30m) with either a stainless steel or painted mild steel hose reel, with two speed options – a nominal 90 LPM prior to hose with ZVA 25, and nominal 70 LPM prior to hose with ZVA slimline.

The attention to detail and quality of components used to construct the C-Series range ensures you will receive a truly reliable product which provides fast, accurate and repeatable fuel dispensing, time and again.

## C-SERIES



# C-Series Retail Suction Pump with Hose Reel

## Specification

- › Single-sided 25mm illuminated digital retail displays (cash and volume)
- › Available as mono only
- › Pumping unit with integral air separation
- › Solenoid valve
- › Approved automatic nozzles with safety break
- › Infra-red management control
- › Elaflex standard fuel hose to EN1360 as 15m or 30m
- › Stainless steel construction
- › Single or three-phase motors (115v/230v/380v)
- › Integral nozzle locking (no padlocks required)
- › Interface options include Pulse, Serial, Gilbarco 2 Wire and HL2
- › Manufactured to EN13617-1 SIRA Certificate number 05ATEX9095
- › Approved by UK Weights & Measures (attendant operated or fuel monitoring system)
- › Measuring Instruments Directive (MID) approved
- › 12 months warranty

## Options

- › Second side display
- › Stainless steel internal pipe work
- › Inline safety breaks ¾" – 1"
- › Stainless steel under-pump plinth
- › Stage Two vapour recovery
- › Marine grade stainless steel panels available
- › Aviation hoses available
- › Avgas suitable conversions available
- › Front-loading nozzle (mono only)
- › Dispenser version

## Dimensions

- › **15m reel:** 1425mm (H) x 890mm (W) x 550mm (D) – Weight: 130kg
- › **30m reel:** 1425mm (H) x 1100mm (W) x 550mm (D) – Weight: 150kg

## Checklist

- ✓ Petroleum & Diesel
- ✓ Alternative Fuel
- ✓ Mono Only

## C-SERIES



## C-Series Retail Suction Pump with Hose Reel

### Product codes

Part no	Description
SC11HR-EXT15MM	Retail Mono (90 lpm) on extended base c/w 15m Hose & Painted Hose Reel
SC11HR-EXT15MS	Retail Mono (90 lpm) on extended base c/w 15m Hose & St / Steel Hose Reel
SC11HR-EXT30MM	Retail Mono (90 lpm) on extended base c/w 30m Hose & Painted Hose Reel
SC11HR-EXT30MS	Retail Mono (90 lpm) on extended base c/w 30m Hose & St / Steel Hose Reel
SC11MR-EXT15MM	Retail Mono (70 lpm) on extended base c/w 15m Hose & Painted Hose Reel
SC11MR-EXT30MM	Retail Mono (70 lpm) on extended base c/w 30m Hose & Painted Hose Reel
SC11MR-EXT30MS	Retail Mono (70 lpm) on extended base c/w 30m Hose & St / Steel Hose Reel
SC11MR-EXT15MS	Retail Mono (70 lpm) on Extended base c/w 15m Hose & St / Steel Hose Reel

### Accessories

RETDIS001	Second side Mono Retail (Cash & Volume) Display
STAINPIPE1	Stainless steel internal pipe work assembly