

## C-SERIES



Designed for retail environments

Ideal for smaller forecourts

Available in mono or twin

Petrol, Diesel, Gas Oil, Avgas and Jet A1

W&M, ATEX, DMG14 and MID approved

0.2% meter accuracy

Single or three-phase motors

Stainless steel construction

Range of interface options

Use with above and below-ground tanks

## C-Series Retail

C-Series Retail offers a flexible choice of dispensers for smaller forecourts where owners need to make the most of available space.

Low-cost, long-term cost of ownership is an integral consideration in the design of the C-Series range as is speed of fuelling and presentation – vital to retail fuel operators.

The attention to detail and quality of components used to construct the C-Series range ensures you will receive a truly reliable product which provides fast, accurate and repeatable fuel dispensing, time and again.

## C-SERIES



## C-Series Retail

### Specification

- › Single-sided 25mm illuminated digital retail displays (Cash & Volume)
- › Available as mono or twin
- › Pumping unit with integral air separation (not included in dispenser format)
- › Solenoid valve
- › Approved automatic nozzles with safety break
- › Infra-red management control
- › 3.3 Elaflex hose (high hose/black as standard, green for unleaded)
- › Stainless steel construction
- › Single or three-phase motors (115v/230v/380v)
- › Integral nozzle locking (no padlocks required)
- › Interface options include Pulse, Serial, Gilbarco 2 Wire and HL2
- › High hose mast
- › Manufactured to EN13617-1 SIRA Certificate number 05ATEX9095
- › Approved by UK Weights & Measures (attendant operated or fuel monitoring system)
- › Measuring Instruments Directive (MID) approved
- › Ministry of Defence Design and Maintenance Guide 14 (DMG14)
- › 12 months warranty

### Options

- › Second side display
- › Stainless steel under-pump plinth
- › Galvanised under-pump stool
- › GRP under-pump sump
- › Built-in hose retriever (as opposed to high hose)
- › Standard outlet
- › Inline safety breaks ¾" – 1"
- › Stage Two vapour recovery
- › Marine grade stainless steel panels available
- › Aviation hoses available
- › Avgas suitable conversions available
- › Front-loading nozzle (mono only)


### Dimensions

- › **Mono:** 1425mm (H) x 370mm (W) x 450mm (D) – Weight: 88kg
- › **Twin:** 1425mm (H) x 540mm (W) x 450mm (D) – Weight: 148kg

### Checklist

- ✓ Petroleum & Diesel
- ✓ Alternative Fuel
- ✓ Mono & Twin

## C-SERIES




## C-Series Retail

### Product codes

Part no	Description
SC11LR	C-Series Retail Mono Suction Single Sided – Nominal 45 LPM
SC11MR	C-Series Retail Mono Suction Single Sided – Nominal 70 LPM
SC11HR	C-Series Retail Mono Suction Single Sided – Nominal 90 LPM
SC11LR/DISP	C-Series Retail Mono Dispenser Single Sided – Nominal 45 LPM
SC11HR/DISP	C-Series Retail Mono Dispenser Single Sided – Nominal 90 LPM
SC22LR	C-Series Retail Twin Suction Single Sided – Nominal 45/45
SC22LMR	C-Series Retail Twin Suction Single Sided – Nominal 45/70 LPM
SC22LHR	C-Series Retail Twin Suction Single Sided – Nominal 45 / 90
SC22MR	C-Series Retail Twin Suction Single Sided – Nominal 70 / 70
SC22HR	C-Series Retail Twin Suction Single Sided – Nominal 90 / 90
SC22LR/DISP	C-Series Retail Twin Dispenser Single Sided – Nominal 45 / 45
SC22LHR/DISP	C-Series Retail Twin Dispenser Single Sided – Nominal 45 / 90
SC22HR/DISP	C-Series Retail Twin Dispenser Single Sided – Nominal 90 / 90
SC12LHR	C-Series Retail Single Product Twin

## C-SERIES



## C-Series Retail

### Product codes

#### Accessories

Part no	Description
RETDIS001	Second Side Mono Retail (Cash & Volume) Display
MS000012	Galvanised Mono Under Pump Stool
Plinthkit-Mono	Standard St/St Plinth kit for Mono
NC002081	GRP Mono Under Pump Sump
BREAKINLINE1	Ex Hose Break Opt Inline 1" (Re-usable)
BREAKINLINE2	Ex Hose Break Opt Inline 3/4" (Non re-connect)
HOSERET/HS	Built in Hose Retriever High Speed – each in place of Hi Hose
HOSERET/LS	Built in Hose Retriever Low Speed – each in place of Hi Hose
LOWBOX	Low level ATEX Junction Box
TBC	Stage Two Vapour Recovery options available
RETDIS002	Second Side Twin Retail (Cash & volume) Display
MS000022	Galvanised Twin Under Pump Stool
Plinthkit-Twin	Standard St/St Plinth kit for Twin
NC002082	GRP Twin Under Pump Sump